Author Index

Abe, Yoshiro see Nagase, Mitsuo, 172
Adam, M see Smetana Jr, K, 639
Adam, S see Hyder, P, 693
Adamyan, A see Horak, D, 361
Adamyan, A see Horak, D, 521
Aebischer, Patrick see Valentini, Robert F, 183
Agrawal, C M, Haas, K F, Leopold, D A and Clark, H G, Evaluation of poly(L-lactic acid) as a material for intravascular polymeric stents, 176
Ait Ben Aoumar, A see Clarotti, G, 832
Akashi, A, Matsuya, Y and Nagasawa, H, Stability constants of Ca-alkyl salicylate complexes and their effect on the dissolution of calcium nydroxide dental cements, 771
Akbulut, U see Elcin, Y M, 156
Akbulut, U see Bayramoglu, Z, 704
Akbulut, U see Sungur, S, 795
Akinmade, A O and Hill, R G, Influence of cement layer thickness on the adhesive bond strength of polyalkenoate cements, 931
Allcock, H R, Pucher, S R, Fitzpatrick, R J and Rashid, K, Antibacterial activity and mutagenicity studies of water-soluble phosphazene high polymers, 857
Amedee, J see Lefebvre, F, 28
Amiji, M and Park, K, Prevention of protein adsorption and platelet adhesion on surfaces by PEO/PPO/PEO triblock copolymers, 682
Amir, D see Kohavi, D, 255
Anderson, J M see Lescure, F, 1009
Annis, D see Mohanty, M, 651
Anouchinsky, R see Tanzi, M C, 425
Antoh, M see Kawakami, T, 759
Aoki, J see Ishihara, K, 235
Aoki, Junji see Ishihara, Kazuhiko, 145
Aprahamian, M see Kessler, L, 44
Aprahamian, M, Mutter, D, Evrard, S, Damgé, C, Kerr-Conte, J and Marescaux, J, *In vitro* resistance of artificial connective tissues to human bile and pancreatic juice, 697
Asakura, S see Lin, H-B, 905
Asakura, T see Demura, M, 276
Askendal, A see Tengvall, P, 367
Aspenberg, P see Goodman, S, 944

Backman, L see Stockeld, D, 261
Baier, R E see Olivieri, M P, 1000
Baquay, Ch see Bordenave, L, 439
Barbucci, R, 4th European Sympossium on Biomaterials, 192
Bareille, R see Lefebvre, F, 28
Bareille, R see Bordenave, L, 439
Barmada, R see Papatheofanis, F J, 403
Barzaghi, B see Tanzi, M C, 425
Bayramoglu, Z, Akbulut, U and Sungur, S, Immobilization of α-amylase into photographic gelatin by chemical cross-linking, 704
Bazile, D V, Ropert, C, Huve, P, Verrecchia, T, Marland, M, Frydman, A, Veillard, M and Spenlehauer, Body distribution of fully biodegradable [14C]-poly(lactic acid) nanoparticles coated with albumin after parenteral administration to rats, 1093
Beele, H, Thierens, H, Deveaux, R, Geothals, E and de Ridder, L, Skin organ culture model to test the toxicity of polyoxyethylene networks, 1031
Bentley, G see Ponger, P, 1070
Bernacca, G M, Dimitri, W R, Fisher, A C, Mackay, T G and Wheatley, D J, Chemical modification of bovine pericardium and its effect on calcification in the rat subdermal model, 345
Bernauer, I see Berstein, A, 98
Berstein, A, Bernauer, I, Marx, R and Geurtsen, W, Human cell culture studies with dental metallic materials, 98
Betts, J see Ponger, P, 1070
Beugeling, T see Bruil, A, 915
Bianco, P D see Ducheyne, P, 617
Biasini, V see Ravaglioli, A, 162
Bilenkis, S see Tanzi, M C, 425
Billington, R W, Williams, J A and Pearson, G J, *In vitro* erosion of 20 commercial glass ionomer cements measured using the lactic acid jet test, 543
Bizios, R see Malik, M A, 123
Black, J see Schmidt, J A, 483
Blevins, W E see Shalaby, W S W, 289
Bloch, B see Leichter, I, 478
Boeree, N see Knowles, J C, 491
Bonel, G see Sharrock, P, 755
Boon, M E see Visser, C E, 34
Bordenave, L see Lefebvre, F, 28
Bordenave, L, Lefebvre, F, Bareille, R, Rouais, F, Baquay, Ch and Rabaud, M, New artificial connective matrix-like structure: thrombogenicity and use as endothelial cell culture support, 439
Braden, M see Davy, K W M, 17
Braden, M see Clarke, R L, 191
Braden, M see Patel, M P, 643
Braden, M see Rodford, R A, 726
Braden, M see Labella, R, 937
Braden, M see Davy, K W M, 1043
Braden, M, Dimensional stability of condensation silicone rubbers, 333
Brandwood, A, Noble, K R and Schindhelm, K, Phagocytosis of carbon particles by macrophages *in vitro*, 646
Brash, J L see Woodhouse, K A, 1103
Braun, B see Hess, F, 657
Bridgett, M J, Davies, M C and Denyer, S P, Control of staphylcoccal adhesion to polystyrene surfaces by polymer surface modification with surfactants, 411
Brook, I M, Craig, G T, Hatton, P V and Jonck, L M, Bone cell interactions with a granular glass-ionomer bone substitute material: *in vivo* and *in vitro* culture models, 721
Bruil, A, Terlingen, J G A, Beugeling, T, van Aken, W G and Feijen, J, *In vitro* leucocyte adhesion to modified polyurethane surfaces I. Effect of ionizable functional groups, 915
Buckle, D S see Ponger, P, 1070
Busscher, H J see van Kooten, T G, 897

Calder, M R see Hayat, U, 801
Carreno, M-P see Montdargent, B, 571
Castetbon, A see Dupuis, V, 467
Cazenave, J-P see Mulvihill, J, 527
Chaimsky, G see Mosheiff, R, 462
Chandy, T and Sharma, C P, Chitosan beads and granules for oral sustained delivery of nifedipine: *in vitro* studies, 949
Chigira, Masaki see Nagase, Mitsuo, 172
Chinn, J A, Ratner, B D and Horbett, T A, Adsorption of baboon fibrinogen and the adhesion of platelets to a thin film polymer deposited by radio-frequency glow discharge of allylamine, 322
Christel, P see Therin, M, 594
Clark, H G see Agrawal, C M, 176
Clarke, D J see Hayat, U, 801
Clarke, R L and Braden, M, Modified Arrhenius equation for the frequency dependance of the transition temperature of polymers — a note on some further observations, 191
Clarotti, G, Schue, F, Sledz, J, Ait Ben Aoumar, A, Geckler, K E, Orsetti, A and Paleirac, G, Modification of the biocompatible and haemocompatible properties of polymer substrates by plasma-deposited fluorocarbon coatings, 832
Cliff, R O see Rudolph, A S, 1085
Cohn, D see Gershon, B, 38
Cohn, D see Tanzi, M C, 425
Collier, C see Mulvihill, J, 527
Collis, J J and Embery, G, Adsorption of glycosaminoglycans to commercially pure titanium, 548
Coombes, A G A and Heckman, J D, Gel casting of resorbable polymers 1. Processing and applications, 217
Coombes, A G A and Heckman, J D, Gel casting of resorbable polymers 2. *In vitro* degradation of bone graft substitutes, 297
Cooper, S L see Silver, J H, 339
Cooper, S L see Lin, H-B, 905
Corretge, Eurene see Kishida, Akio, 113
Côté, M-F and Doillon, C J, Wettability of cross-linked collagenous biomaterials: *in vitro* study, 612
Craig, G T see Brook, I M, 721
Crommen, J H L, Schacht, E H and Mense, E H G, Biodegradable polymers I. Synthesis of hydrolysis-sensitive poly[(organo)phosphazenes], 511
Crommen, J H L, Schacht, E H and Mense, E H G, Biodegradable polymers II. Degradation characteristics of hydrolysis-sensitive poly[(organo)phosphazenes], 601
Crost, T see Mulvihill, J, 527

Dahlgren, S see Stockeld, D, 261
Damgé, C see Kessler, L, 44
Damgé, C see Aprahamian, M, 697
Davies, M C see Bridgett, M J, 411
Davies, M L see Murphy, S M, 979
Davies, M L, Hamilton, C J, Murphy, S M and Tighe, B J, Polymer membranes in clinical sensor applications I. An overview of membrane function, 971
Davies, M L, Murphy, S M, Hamilton, C J and Tighe, B J, Polymer membranes in clinical sensor applications III. Hydrogels as reactive matrix membranes in fibre optic sensors, 991
Davy, K W M and Braden, M, Thermal expansion of glassy polymers, 1043
Davy, K W M see Patel, M P, 643
Davy, K W M see Labella, R, 937
Davy, K W M, Parker, S, Braden, M, Ward, I M and Ladizesky, H, Reinforcement of polymers of 2,2 bis-4(2-hydroxy-3-methacryloyloxy propoxy) phenyl propane by ultra-high modulus polyethylene fibres, 17
Demura, M, Takekawa, T, Asakura, T and Nishikawa, A, Characterization of low-temperature-plasma treated silk fibroin fabrics by ESCA and the use of the fabrics as an enzyme-immobilization support, 276
Denyer, S P see Bridgett, M J, 411
Desai, N P and Hubbell, J A, Tissue response to intraperitoneal implants of polyethylene oxide-modified polyethylene terephthalate, 505
Desai, N P, Hossainy, S F A and Hubbell, J A, Surface-immobilised polyethylene oxide for bacterial repellance, 417
Devereux, B see Rosenblatt, J, 878
Deveux, R see Beele, H, 1031
Di Colo, G, Controlled drug release from implantable matrices based on hydrophobic polymers, 850
Dijkstra, P J see van Luyn, M J A, 1017
Dillon, J G and Hughes, M K, Degradation of five polyurethane gastric bubbles following *in vivo* use: SEC,ATR-IR and DSC studies, 240
Dimitri, W R see Bernacca, G M, 345
Doelker, E see Lescure, F, 1009
Doherty, P J see Mohanty, M, 651
Doillon, C J see Cote, M-F, 612
Doremus, R H see Malik, M A, 123
Draget, K I, Varum, K J, Moen, E, Gynnild, H and Smidsrod, O, Chitosan cross-linked with Mo(VI) polyoxyanions: a new gelling system, 635
Duchêne, D and Ponchel, G, Principle and investigation of the bioadhesion mechanism of solid dosage forms, 709
Ducheyne, P see Healy, K E, 553
Ducheyne, P, Bianco, P D and Kim, C, Bone tissue growth enhancement by calcium phosphate coatings on porous titanium alloys: the effect of shielding metal dissolution product, 617
Dupuis, V, Laviole, O, Potin-Gautier, M, Casterbon, A and Moya, F, Solubility and disintegration of zinc phosphate cement, 467

Echizenya, T see Hanawa, T, 20
Eda, S see Kawakami, T, 759
Edwards, B N and Gold, B R, Analysis of surface cleanliness of three commercial dental implants, 775

Eguchi, G see Oguchi, H, 471
El-Messiery, M A, Magnetic field interaction with streaming potentials in cancellous bone, 168
Elagli, K, Neut, C, Romond, C and Hildebrand, H F, *In vitro* effects of titanium powder on oral bacteria, 25
Elam, J-H and Nygren, H, Adsorption of coagulation proteins from whole blood on to polymer materials: relation to platelet activation, 3
Elçin, M see Sungur, S, 795
Elçin, M and Akbulut, U, Polyester film strips coated with photographic gelatin containing immobilized glucose oxidase hardened by chromium(III) sulphate, 156
Ellies, L G, Nelson, D G A and Featherstone, J D B, Crystallographic changes in calcium phosphates during plasma-spraying, 313
Elssner, G see Gibbesch, B, 455
Elwing, H see Tengvall, P, 367
Embery, G see Collis, J J, 548
Evrard, S see Aprahamian, M, 697
Ezra, V see Golomb, G, 353

Featherstone, J D B see Ellies, L G, 313
Feijen, J see Hinrichs, W L J, 585
Feijen, J see Bruil, A, 915
Feijen, J see van Luyn, M J A, 1017
Feil, H see Hinrichs, W L J, 585
Feuerstein, I A see McClung, W G, 871
Fisher, A C see Bernacca, G M, 345
Fitzpatrick, R J see Allcock, H R, 857
Flowers, W E see Siden, R, 764
Forest, N see Sautier, J M, 400
Frayssinet, P, Hardy, D, Rouquet, N, Giammara, B, Guilhem, A and Hanker, J, New observations on middle term hydroxyapatite-coated titanium alloy hip prostheses, 668
Fritschy, W see Zondervan, G J, 136
Frydman, A see Bazile, D V, 1093
Fukumoto, K see Ishihara, K, 235
Fukumoto, Kikuko see Ishihara, Kazuhiko, 145

Garcia-Echeverria, C see Lin, H-B, 905
Gardella, Jr, Joseph A see Valentini, Robert F, 183
Garreau, H see Therin, M, 594
Geckler, K E see Clarotti, G, 832
Geothals, E see Beele, H, 1031
Gershon, B, Cohn, D and Marom, G, Compliance and ultimate strength of composite arterial prostheses, 38
Geurtsen, W see Berstein, A, 98
Giammara, B see Frayssinet, P, 668
Gibbesch, B, Elssner, G and Petzow, G, Investigation of Ti/Al_2O_3 joints with intermediate tantalum and niobium layers, 455
Giunti, A see Stea, S, 664
Gold, B R see Edwards, B N, 775
Golomb, G, Lewinstein, I, Ezra, V and Schoen, F J, Mechanical properties and histology of charge modified bioprosthetic tissue resistant to calcification, 353
Goodman, S and Aspenberg, P, Effect of amplitude of micromotion on bone ingrowth into titanium chambers implanted in the rabbit tibia, 944
Gorecki, S see Lefebvre, F, 28
Grande, P see Hess, F, 657
Granstrom, L see Stockeld, D, 261
Groot, C G see Vrouwenvelder, W C A, 383
Gross, U see Kohavi, D, 255
Grounds, M see McGeachie, J, 562
Guidoin, R see Huang, B, 209
Guidoin, R, Sigot, M, King, M and Sigot-Luizard, M-F, Biocompatibility of the Vascugraft®: evaluation of a novel polyester urethane vascular substitute by an organotypic culture technique, 281
Guilhem, A see Frayssinet, P, 668
Gumargalieva, K see Horak, D, 361
Gumargalieva, K see Horak, D, 521
Gurny, R see Lescure, F, 1009
Gursel, I and Hasirci, V N, Matrix entrapment of glucose oxidase by γ irradiation, 150
Gynnild, H see Draget, K I, 635

Haas, K F see Agrawal, C M, 176
Hamilton, C J see Davies, M L, 971
Hamilton, C J see Murphy, S M, 979
Hamilton, C J see Davies, M L, 991
Hanawa, T, Kaga, M, Itoh, Y, Echizenya, T, Oguchi, H and Ota, M, Cytotoxicities of oxides, phosphates and sulphides of metals, 20
Hanker, J see Frayssinet, P, 668
Hardy, D see Frayssinet, P, 668
Hart, A P see Silver, J H, 339
Hasegawa, H see Kawakami, T, 759
Hasirci, V N see Gursel, I, 150
Hastings, G W see Knowles, J C, 491
Hata, Y see Iwata, H, 891
Hatton, P V see Brook, I M, 721
Hayashi, K, Matsuguchi, N, Uenoyama, K and Sugioka, Y, Re-evaluation of the biocompatibility of bioinert ceramics *in vivo*, 195
Hayashi, T see Okada, T, 448
Hayat, U, Tinsley, A M, Calder, M R and Clarke, D J, ESCA investigation of low-temperature ammonia plasma-treated polyethylene substrate for immobilization of protein, 801
Healy, K E and Ducheyne, P, Hydration and preferential molecular adsorption on tianium *in vitro*, 553
Heckman, J D see Coombes, A G A, 217
Heckman, J D see Coombes, A G A, 297
Henderson, A M and Stephenson, M, 3-Methoxybutylcyanocrylate: evaluation of biocompatibility and bioresorption, 1077
Hess, F, Jerusalem, R, Reijnders, O, Jerusalem, C, Steeghs, S, Braun, B and Grande, P, Seeding of enzymatically derived and subcultivated canine endothelial cells on fibrous polyurethane vascular prostheses, 657
Hesseling, S C see van Sliedregt, A, 819
Hildebrand, H F see Elagli, K, 25
Hill, R G see Akinmade, A O, 931
Hinrichs, W L J, Kuit, J, Feil, H, Wildevuur, Ch R H and Feijen, J, *In vivo* fragmentation of microporous polyurethane-and copolyesterether elastomer-based vascular prostheses, 585
Hirayama, Y see Oguchi, H, 471
Hlady, V see Lin, Y-S, 497
Hoppen, H J see Zondervan, G J, 136
Horak, D, Svec, F, Adamyan, A, Titova, M, Skuba, N, Voronkova, O, Trostenyuk, N, Vishnevskii, V, Gumargalieva, K, Hydrogels in endovascular embolization. V. Anti-tumour agent methotrexate-containing p(HEMA), 361
Horák, D, Švec, F, Adamyan, A, Titova, M, Skuba, N, Voronkova, O, Trostenyuk, N, Vishnevskii, V, Gumargalieva, K, Haemostatic activity of ethamsylate and aminocaproic acid adsorbed poly(2-hydroxyethyl methacrylate) particles, 521
Horbett, T A see Chinn, J A, 322
Hossainy, S F A see Desai, N P, 417
Huang, B, Marois, Y, Roy, R, Julien, M and Guidoin, R, Cellular reaction to the Vascugraft® polyesterurethane vascular prosthesis: *in vivo* studies in rats, 209
Hubbell, J A see Desai, N P, 417
Hubbell, J A see Desai, N P, 505
Hubbell, J A see Sawhney, A S, 863
Hughes, M K see Dillon, J G, 240
Hunt, J A see Mohanty, M, 651
Huve, P see Bazile, D V, 1093
Hyder, P, Singh, G and Adam, S, Humoral responses to type I collagen after surgical curettage procedures employing bovine collagen implants, 693
Hyon, S-H see Ike, O, 230
Hyon, S-H see Matsuda, Kazuya, 119

Iguchi, Yuichiro see Ito, Yoshihiro, 131
Iivonen, T see Laitinen, O, 1012
Ikada, Y see Ike, O, 230
Ikada, Y see Okada, T, 448
Ikada, Y see Iwata, H, 891
Ikada, Yoshito see Kishida, Akio, 113
Ikada, Yoshito see Matsuda, Kazuya, 119
Ike, O, Shimizu, Y, Wada, R, Hyon, S-H and Ikada, Y, Controlled cisplatin delivery system using poly(D,L-lactic acid), 230
Illum, L see Norman, M E, 841
Imanishi, Y see Ito, Y, 376
Imanishi, Y see Ito, Y, 789
Imanishi, Y see Liu, S Q, 50
Imanishi, Yukio see Ito, Yoshihiro, 131
Inoue, Y see Kamei, S, 953
Ishihara, K see Tingfei, X, 357
Ishihara, K, Takayama, R, Nakabayashi, N, Fukumoto, K and Aoki, J, Improvement of blood compatibility on cellulose dialysis membrane 2. Blood compatibility of phospholipid polymer grafted cellulose membrane, 235
Ishihara, Kazuhiko, Fukumoto, Kikuko, Aoki, Junji and Nakabayashi, Nubuo, Improvement of blood compatibility on cellulose dialysis membrane I. Grafting of 2-methacryloyloxyethyl phosphorylcholine on to a cellulose membrane surface, 145
Ishikawa, K see Oguchi, H, 471
Isshiki, Nobuhiko see Matsuda, Kazuya, 119
Ito, M see Kawakami, T, 759
Ito, Y, Liu, L S and Imanishi, Y, Interaction of thrombin with synthetic fluorescent substrate immobilized on polymer membrane, 375
Ito, Y, Liu, S-Q, Nakabayashi, M and Imanishi, Y, Cell growth on immobilized cell-growth factor II. Adhesion and growth of fibroblast cells on poly(methyl methacrylate) membrane immobilized with proteins of various kinds, 789
Ito, Y see Liu, S Q, 50
Ito, Yoshihiro, Iguchi, Yuichiro and Imanishi, Yukio, Synthesis and non-thrombogenicity of heparinoid polyurethaneureas, 131
Itoh, Y see Hanawa, T, 20
Iwata, H, Hata, Y, Matsuda, T, Taki, W, Yonekawa, Y and Ikada, Y, Solidifying liquid with novel initiation system for detachable balloon catheters, 891

James, K H see Thompson, L A, 811
Janatova, J see Lin, Y-S, 497
Jansen, H W B see Klompmaker, J, 625
Jansen, J A von Recum, A F, van der Waerden, J P C M and de Groot, K, Soft tissue response to different types of sintered metal fibre-web materials, 959
Jayabalan, M see Nair, P D, 537
Jerusalem, C see Hess, F, 657
Jerusalem, R see Hess, F, 657
Ji, H and Marquis, P M, Preparation and characterization of Al_2O_3 reinforced hydroxyapatite, 744
Jonck, L M see Brook, I M, 721
Jonkman, M F see van Luyn, M J A, 267
Jozefowicz, M see Letourneur, D, 59
Jozefowicz, M see Montdargent, B, 571
Julien, M see Huang, B, 209

Kaga, M see Hanawa, T, 20
Kahn, B see Rudolph, A S, 1085
Kaibara, M see Lee, Jae-Suk, 1025
Kalachandra, S and Wilson, T W, Water sorption and mechanical properties of light-cured proprietary composite tooth restorative materials, 105
Kamei, S, Inoue, Y, Okada, H, Yamada, M, Ogawa, Y and Toguchi, H, A new method for analysis of biodegradable polyesters by high-performance liquid chromatography after alkali hydrolysis, 953
Kawakami, T, Antoh, M, Hasegawa, H, Yamagishi, T, Ito, M and Eda, S, Experimental study on osteoconductive properties of a chitosan-bonded hydroxyapatite self-hardening paste, 759
Keipes, M see Kessler, L, 44
Kerr-Conte, J see Aprahamian, M, 697
Kessler, L, Aprahamian, M, Keipes, M, Damgé, C, Pinget, M and Poinsot, D, Diffusion properties of an artificial membrane used for Langerhans islets encapsulation: an *in vitro* test, 44
Kim, C see Ducheynes, P, 617
King, M see Guidoin, R, 281

Kishida, A, Takatsuka, M and Matsuda, T, RGD-albumin conjugate: expression of tissue regeneration activity, 924
Kishida, Akio, Mishima, Kazuhiro, Corretge, Eurene, Konishi, Hikaru and Ikada, Yoshito, Interactions of poly(ethylene glycol)-grafted cellulose membranes with proteins and platelets, 113
Kitsugi, T, Yamamuro, T, Nakamura, T, Yoshii, S, Kokubo, T, Takagi, M and Shibuya, T, Influence of substituting B_2O_3 for CaF_2 on the bonding behaviour to bone of glass–ceramics containing apatite and wollastonite, 393
Klein, B Y see Mosheiff, R, 462
Klein, C P A T see Lin, H, 825
Klompmaker, J, Jansen, H W B, Veth, R P H, Nielsen, H K L, de Groot, J H and Pennings, A J, Porous polymer implants for repair of full-thickness defects of articular cartilage: an experimental study in rabbit and dog, 625
Knook, M see van Sliedregt, A, 819
Knowles, J C, Ohta, H, Niwa, S, Boeree, N and Hastings, G W, Development of a degradable composite for orthopaedic use: *in vivo* biomechanical and histological evaluation of two bioactive degradable composites based on the polyhydroxybutyrate polymer, 491
Kodama, M see Mathew, J, 1051
Koerten, H K see van Sliedregt, A, 819
Kohavi, D, Schwartz, Z, Amir, D, Muller Mai, C, Gross, U and Sela, J, Effect of titanium implants on primary mineralization following 6 and 14 days of rat tibial healing, 255
Kok, L P see Visser, C E, 34
Kokubo, T see Kitsugi, T, 394
Konishi, Hikaru see Kishida, Akio, 113
Korbelar, P see Smetana Jr, K, 639
Krajewski, A see Ravaglioli, A, 162
Krishnamurthy, V N see Nair, P D, 537
Kuit, J see Hinrichs, W L J, 585
Kvam, Ketil, Fracture toughness determination of ceramic and resin-based dental composites, 101

Labella, R, Braden, M and Davy, K W M, Novel acrylic resins for dental applications, 937
Lacefield, W R see Ong, J L, 249
Ladizesky, H see Davy, K W M, 17
Laitinen, O, Tormala, P, Taurio, R, Skutnabb, K, Saarelained, K, Iivonen, T and Vainionpaa, S, Mechanical properties of biodegradable ligament augmentation device of poly(L-lactide) *in vitro* and *in vivo*, 1012
Lamberti, F V and Sefton, M V, FT-IR measurement of emulsified cationic DMAEMA-MMA adsorption to calcium alginate, 1109
Laviole, O see Dupuis, V, 467
Law, F C see Thompson, L A, 811
Lebarre, D see Montdargent, B, 571
Lee, Jae-Suk, Kaibara, M and Sasabe, H, In vitro rheological evaluation of antithrombogenicity or anticoagulability of styrene derivative polymer, 1025
Lefebvre, F see Bordenave, L, 439
Lefebvre, F, Gorecki, S, Bareille, R, Amedee, J, Bordenave, L and Rabaud, M, New artificial connective matrix-like structure made of elastin solubilized peptides and collagens: elaboration, biochemical and structural properties, 28
Leichter, I and Bloch, B, Evaluation of the calcium phosphate ceramic implant by non-invasive techniques, 478
Leichter, I see Mosheiff, R, 462
Lejun, Z see Tingfei, X, 357
Leopold, D A see Agrawal, C M, 176
Lescure, F, Gurny, R, Doelker, E and Anderson, J M, Long-term histopathological study of new polypeptidic biomaterials, 1009
Letourneur, D and Jozefowica, M, Insoluble DNA-like phosphorylated polystyrene: specific interactions with anti-DNA antibodies from systemic lupus erythematosus patients, 59
Levy, R J see Siden, R, 764
Lewinstein, I see Golomb, G, 353
Lewis, G, Effect of lithotriptor treatment on the fracture toughness of acrylic bone cement, 225
Li, S see Therin, M, 594
Lin, H, Van't Veen, S J G A and Klein, C P A T, Permucosal implantation pilot study with HA-coated dental implant in dogs, 825
Lin, H-B, Garcia-Echeverria, C, Asakura, S, Sun, W, Mosher, D F and Cooper, S L, Endothelial cell adhesion on polyurethanes containing covalently attached RGD-peptides, 905
Lin, Y-S, Hlady, V and Janatova, J, Adsorption of complement proteins on surfaces with a hydrophobicity gradient, 497
Liu, L S see Ito, Y, 376
Liu, S-Q see Ito, Y, 789
Liu, S Q, Ito, Y and Imanishi, Y, Cell growth on immobilised cell growth factor. I. Acceleration of the growth of fibroblast cells on insulin-immobilised polymer matrix in culture medium without serum, 50
Llanos, G R and Sefton, M V, Heparin-poly(ethylene glycol)-poly(vinyl alcohol) hydrogel: preparation and assessment of thrombogenicity, 421
Loomis, R E see Olivieri, M P, 1000
Loomis, Ronald E see Olivieri, Marion P, 201
Lucas, L C see Ong, J L, 249
Lundstrom, I see Tengvall, P, 367

Mackay, T G see Bernacca, G M, 345
Malik, M A, Puleo, D A, Bizios, R and Doremus, R H, Osteoblasts on hydroxyapatite, alumina and bone surfaces *in vitro*: morphology during the first 2 h of attachment, 123
Mangano, C see Ravaglioli, A, 162
Marconi, W, Martinelli, A, Piozzi, A and Zane, D, Synthesis and physicochemical characterization of a hydrophilic polyurethane able to bind heparin, 432
Marescaux, J see Aprahamian, M, 697
Marlard, M see Bazile, D V, 1093
Marois, Y see Huang, B, 209
Marom, G see Gershon, B, 38
Marquis, P M see Ji, H, 744
Martinelli, A see Marconi, W, 432
Martinetti, R see Ravaglioli, A, 162
Marx, R see Berstein, A, 98
Mathew, J, Qin Liu, Shu and Kodama, M, Study of blood compatible polymers II. Poly(N,N-disubstituted) acrylamides, 1051
Matsuda, Kazuya, Suzuki, Shigehiko, Isshiki, Nobuhiko, Yoshioka, Kazuo, Wada, Ryoichi, Hyon, S-H and Ikada, Yoshito, Evaluation of a bilayer artificial skin capable of sustained release of an antiobiotic, 119
Matsuda, T see Iwata, H, 891
Matsuda, T see Kishida, A, 924
Matsuguchi, N see Hayashi, K, 195
Matsuya, Y see Akashi, A, 771
Matthews, C A see Thompson, L A, 811
Mazzucotelli, J-P see Mulvihill, J, 527
McClung, W G and Feuerstein, I A, Epifluorescent video microscopy (EVM) for platelet–biomaterial interactions: elimination of photoactivation and dye effects, 871
McGeachie, J, Smith, E, Roberts, P and Grounds, M, Reaction of skeletal muscle to small implants of titanium or stainless steel: a quantitative histological and autoradiographic study, 562
Mense, E H G see Crommen, J H L, 511
Mense, E H G see Crommen, J H L, 601
Mishima, Kazuhiro see Kishida, Akio, 113
Moen, E see Draget, K I, 635
Mohanty, M see Nair, P D, 537
Mohanty, M, Hunt, J A, Doherty, P J, Annis, D and Williams, D F, Evaluation of soft tissue response to a poly(urethane urea), 651
Monroy, R L see Rudolph, A S, 1085
Montdargent, B, Toufik, J, Carreno, M-P, Lebarre, D and Jozefowicz, M, Complement activation and adsorption of protein fragments by functionalized polymer surfaces in human serum, 571
Mosheiff, R, Klein, B Y, Leichter, I, Chaimsky, G, Nyska, A, Peyser, A and Segal, D, Utilization of dual-energy X-ray absorptiometry (DEXA) to follow mineral content changes in small ceramic implants in rats, 462
Mosher, D F see Lin, H-B, 905
Mow, Van C, Ratcliffe, Anthony and Poole, A Robin, Cartilate and diarthrodial joints as paradigms for hierarchical materials and structures, 67
Moya, F see Dupuis, V, 467
Muller Mai, C see Kohavi, D, 255
Mulvihill, J, Cazenave, J-P, Mazzucotelli, J-P, Crost, T, Collier, C, Renaux, J-L and Pusineri, C, Minimodule dialyser for quantitative *ex vivo* evaluation of membrane haemocompatibility in humans: comparison of acrylonitrile copolymer, cuprophan and polysulphone hollow fibres, 527
Murphy, S M see Davies, M L, 971
Murphy, S M see Davies, M L, 991
Murphy, S M, Hamilton, C J, Davies, M L and Tighe, B J, Polymer membranes in clinical sensor applications II. The design and fabrication of permselective hydrogels for electrochemical devices, 979
Mutter, D see Aprahamian, M, 697

Nagasawa, H see Akashi, A, 771
Nagase, Mitsuo, Abe, Yoshiro, Chigira, Masaki and Udagawa, Eiichi, Toxicity of silica-containing calcium phosphate glasses demonstrated in mice, 172
Nair, P D, Mohanty, M, Rathinam, K, Jayabalan, M and Krishnamurthy, V N, Studies on the effect of degree of hydrophilicity on tissue response of polyurethane interpenetrating polymer networks, 537
Nakabayashi, M see Ito, Y, 789
Nakabayashi, N see Ishihara, K, 235
Nakabayashi, Nubuo see Ishihara, Kazuhiko, 145
Nakamura, T see Kitsugi, T, 394
Nefussi, J R see Sautier, J M, 400
Nelson, D G A see Ellies, L G, 313
Neut, C see Elagli, K, 25
Nielsen, H K L see Klompmaker, J, 625
Nieuwenhuis, P see van Luyn, M J A, 267
Nieuwenhuis, P see van Luyn, M J A, 1017
Nishikawa, A see Demura, M, 276
Niwa, S see Knowles, J C, 491
Noble, K R see Brandwood, A, 646
Norman, M E, Williams, P and Illum, L, Human serum albumin as a probe for surface conditioning (opsonization) of block copolymer-coated microspheres, 841
Novak, M see Smetana Jr, K, 639
Nygren, H see Elam, J-H, 3
Nyska, A see Mosheiff, R, 462

Ogawa, Y see Kamei, S, 953
Oguchi, H see Hanawa, T, 20
Oguchi, H, Ishikawa, K, Seto, K, Eguchi, G, Ojima, S and Hirayama, Y, Evaluation of a high-velocity flame-spraying technique for hydroxyapatite, 471
Ohta, H see Knowles, J C, 491
Ojima, S see Oguchi, H, 471
Okada, H see Kamei, S, 953
Okada, T, Hayashi, T and Ikada, Y, Degradation of collagen suture *in vitro* and *in vivo*, 448
Okazaki, M, Heterogeneous synthesis of fluoridated hydroxyapatites, 749
Olde Damink, L H H see van Luyn, M J A, 1017
Olivieri, M P, Baier, R E and Loomis, R E, Surface properties of mussel adhesive protein component films, 1000
Olivieri, Marion P, Tweden, Katherine Rittle, Karen H and Loomis, Ronald E, Comparative biophysical study of adsorbed calf serum, fetal bovine serum and mussel adhesive protein films, 201
Ong, J L, Lucas, L C, Lacefield, W R and Rigney, E D, Structure, solubility and bond strength of thin calcium phosphate coatings produced by ion beam sputter deposition, 249
Oosting, J see Visser, C E, 34

Orsetti, A see Clarotti, G, 832
Ota, M see Hanawa, T, 20

Paleirac, G see Clarotti, G, 832
Papatheofanis, F J and Barmada, R, Increased superoxide anion production in polymorphonuclear leucocytes on exposure to isobutyl-2-cyanoacrylate, 403
Park, K see Shalaby, W S W, 289
Park, K see Amiji, M, 682
Parker, S see Davy, K W M, 17
Patel, M P, Davy, K W M and Braden, M, Refractive index and molar refraction of methacrylate monomers and polymers, 643
Pearson, G J see Billington, R W, 543
Penhasi, A see Tanzi, M C, 425
Penning, A J see Zondervan, G J, 136
Pennings, A J see Klompmaker, J, 625
Pestova, M B see Volkova, A V, 110
Petzow, G see Gibbesch, B, 455
Peyser, A see Mosheiff, R, 462
Pinget, M see Kessler, L, 44
Piozzi, A see Marconi, W, 432
Pitt, W G see Weaver, D R, 577
Pizzoferrato, A see Stea, S, 664
Poinsot, D see Kessler, L, 44
Ponchel, G see Duchene, D, 709
Pongor, P, Betts, J, Buckle, D S and Bentley, G, Woven carbon surface replacement in the knee: an independent review, 1070
Poole, A Robin see Mow, Van C, 67
Potin-Gautier, M see Dupuis, V, 467
Pucher, S R see Allcock, H R, 857
Puleo, D A see Malik, M A, 123
Pusineri, C see Mulvihill, J, 527

Qin Liu, Shu see Mathew, J, 1051

Rabaud, M see Lefebvre, F, 28
Rabaud, M see Bordenave, L, 439
Rashid, K see Allcock, H R, 857
Ratcliffe, Anthony see Mow, Van C, 67
Rathinam, K see Nair, P D, 537
Ratner, B D see Chinn, J A, 322
Ravaglioli, A, Krajewski, A, Biasini, V, Martinetti, R, Mangano, C and Venini, G, Interface between hydroxyapatite and mandibular human bone tissue, 162
Reijnders, O see Hess, F, 657
Remes, A and Williams, D F, Immune response in biocompatibility, 731
Renaux, J-L see Mulvihill, J, 527
Rigney, E D see Ong, J L, 249
Rittle, Karen H see Olivieri, Marion P, 201
Roberts, P see McGeachie, J, 562
Rodford, R A and Braden, M, Further observations on high impact strength denture-base materials, 726
Rollwagen, F see Rudolph, A S, 1085
Romond, C see Elagli, K, 25
Ropert, C see Bazile, D V, 1093
Rosenblatt, J, Devereux, B and Wallace, D G, Effect of electrostatic forces on the dynamic rheological properties of injectable collagen biomaterials, 878
Rouais, F see Bordenave, L, 439
Rouquet, N see frayssinet, P, 668
Roy, R see Huang, B, 209
Rudolph, A S, Stillwell, G, Cliff, R O, Kahn, B, Spargo, B J, Rollwagen, F and Monroy, R L, Biocompatibility of lipid microcylinders: effect on cell growth and antigen presentation in culture, 1085
Rushton, N see Thompson, L A, 811

Saarelained, K see Laitinen, O, 1012
Sakai, H see Yamasaki, H, 308
Sasabe, H see Lee, Jae-Suk, 1025
Sautier, J M, Nefussi, J R and Forest, N, Surface-reactive biomaterials in osteoblast cultures: an ultrastructural study, 400
Savarino, L see Stea, S, 664
Sawhney, A S and Hubbell, J A, Poly(ethylene oxide)-graft-poly(L-lysine) copolymers to enhance the biocompatibility of poly(L-lysine) — alginate microcapsule membranes, 863
Schacht, E H see Crommen, J H L, 511
Schacht, E H see Crommen, J H L, 601
Schadenraad, J M see van Kooten, T G, 897
Schindhelm, K see Brandwood, A, 646
Schmidt, J A and von Recum, A F, Surface characterization of microtextured silicone, 675
Schmidt, J A and von Recum, A F, Macrophage response to microtextured silicone, 1059
Schmidt, J A and Black, J, Determination of three-dimensional morphometry of adherent cells by surface profilometry, 483
Schoen, F J see Golomb, G, 353
Schon, R see Semlitsch, M F, 781
Schue, F see Clarotti, G, 832
Schwartz, Z see Kohavi, D, 255
Schwarz, W D, Effect of loading on a substitute oral mucosa and underlying bone, 1039
Sefton, M V see Llanos, G R, 421
Sefton, M V see lamberti, F V, 1109
Segal, D see Mosheiff, R, 462
Sela, J see Kohavi, D, 255
Semlitsch, M F, Weber, H, Streicher, R M and Schon, R, Joint replacement components made of hot-forged and surface-treated Ti-6Al-7Nb alloy, 781
Seto, K see Oguchi, H, 471
Shalaby, W S W, Blevins, W E and Park, K, Use of ultrasound imaging and fluoroscopic imaging to study gastric retention of enzyme-digestible hydrogels, 289
Sharma, C P see Chandy, T, 949
Sharrock, P and Bonel, G, Colour centres in plasma-sprayed hydroxyapatite, 755
Shibuya, T see Kitsugi, T, 394
Shimizu, Y see Ike, O, 230
Sichina, W J see von Fraunhofer, J A, 715
Siden, R, Flowers, W E and Levy, R J, Epicardial propranolol administration for ventricular arrhythmias in dogs: matrix formulation and characterization, 764
Sigot, M see Guidoin, R, 281
Sigot-Luizard, M-F see Guidoin, R, 281
Silver, J H, Hart, A P, Williams, E C and Cooper, S L, Anticoagulant effects of sulphonated polyurethanes, 339
Singh, G see Hyder, P, 693
Skuba, N see Horak, D, 361
Skuba, N see Horak, D, 521
Skutnabb, K see Laitinen, O, 1012
Sledz, J see Clarotti, G, 832
Smetana, Jr., K, Štol, M, Korbelář, P, Novák, M and Adam, M, Implantation of p(HEMA)-collagen composite into bone, 639
Smidsrod, O see Draget, K I, 635
Smith, E see McGeachie, J, 562
Spargo, B J see Rudolph, A S, 1085
Spenlehauer, G see Bazile, D V, 1093
Stea, S, Savarino, L, Toni, A, Sudenase, A, Giunti, A and Pizzoferrato, A, Microradiographic and histochemical evaluation of mineralization inhibition at the bone–alumina interface, 664
Steeghs, S see Hess, F, 657
Stephenson, M see Henderson, A M, 1077
Stillwell, G see Rudolph, A S, 1085
Stockeld, D, Granstrom, L, Backman, L and Dahlgren, S, Inflammatory response to subcutaneously implanted Marlex® and GORE-TEX® in massively obese patients, 261
Stol, M see Smetana Jr, K, 639
Streicher, R M see Semlitsch, M F, 781
Strnad, Z, Role of the glass phase in bioactive glass-ceramics, 317
Sudenase, A see Stea, S, 664
Sugioka, Y see Hayashi, K, 195
Sun, W see Lin, H-B, 905
Sungur, S see Bayramoglu, Z, 704
Sungur, S, Elçin, M and Akbulut, U, Studies on immobilization of urease in gelatin by cross-linking, 795
Suzuki, Shigehiko see Matsuda, Kazuya, 119
Svec, F see Horak, D, 361
Svec, F see Horak, D, 521

Takagi, M see Kitsugi, T, 394
Takatsuka, M see Kishida, A, 924
Takayama, R see Ishihara, K, 235
Takekawa, T see Demura, M, 276
Taki, W see Iwata, H, 891
Tanzi, M C, Barzaghi, B, Anouchinsky, R, Bilenkis, S, Penhasi, A and Cohn, D, Grafting reactions and heparin adsorption of poly(amidoamine)-grafted poly(urethane amide)s, 425
Taurio, R see Laitinen, O, 1012
Tangvall, P, Askendal, A, Lundstrom, I and Elwing, H, Studies of surface activated coagulation: antisera binding onto methyl gradients on silicon incubated in human plasma *in vitro*, 367
Terlingen, J G A see Bruil, A, 915
Therin, M, Christel, P, Li, S, Garreau, H and Vert, M, *In vivo* degradation of massive poly(α-hydroxy acids): validation of *in vitro* findings, 594
Thierens, H see Beele, H, 1031
Thompson, L A, Law, F C, James, K H, Matthews, C A and Rushton, N, Biocompatibility of particulate polymethylmethacrylate bone cements: a comparative study *in vitro* and *in vivo*, 811
Tighe, B J see Yasin, M, 9
Tighe, B J see Davies, M L, 971
Tighe, B J see Murphy, S M, 979
Tighe, B J see Davies, M L, 991
Tingfei, X, Wenhua, T, Xuehui, L, Lejun, Z and Ishihara, K, Haemocompatibility of polymer having phospholipid polar groups evaluated by monoclonal antibody method, 357
Tinsley, A M see Hayat, U, 801
Titova, M see Horak, D, 361
Titova, M see Horak, D, 521
Toguchi, H see Kamei, S, 953
Toni, A see Stea, S, 664
Tormala, P see Laitinen, O, 1012
Toufik, J see Montdargent, B, 571
Trostenyuk, N see Horak, D, 361
Trostenyuk, N see Horak, D, 521
Tweden, Katherine see Olivieri, Marion P, 201

Udagawa, Eiichi see Nagase, Mitsuo, 172
Uenoyama, K see Hayashi, K, 195

Vainionpaa, S see Laitinen, O, 1012
Valentini, Robert F, Vargo, Terrence, G, Gardella Jr, Joseph A and Aebischer, Patrick, Electrically charged polymeric substrates enhance nerve fibre outgrowth *in vitro*, 183
Vargo, Terrence G see Valentini, Robert F, 183
Varum, K J see Draget, K I, 635
Veillard, M see Bazile, D V, 1093
Venini, G see Ravaglioli, A, 162
Verrecchia, T see Bazile, D V, 1093
Vert, M see Therin, M, 594
Veth, R P H see Klompmaker, J, 625
Vishnevskii, V see Horak, D, 361
Vishnevskii, V see Horak, D, 521
Visser, C E, Boon, M E, Voute, A B E, Oosting, J and Kok, L P, Microwave irradiation and cross-linking of collagen, 34
Volkova, A V and Pestova, M B, Study of polyurethanes for medical purposes using ultrasonic pulses, 110
Voronkova, O see Horak, D, 361
Voronkova, O see Horak, D, 521
Voute, A B E see Visser, C E, 34
Vrouwenvelder, W C A, Groot, C G and de Groot, K, Behaviour of fetal rat osteoblasts cultured *in vitro* upon bioactive glass and nonreactive glasses, 383

Wada, R see Ike, O, 230
Wada, Ryoichi see Matsuda, Kazuya, 119
Wallace, D G see Rosenblatt, J, 878
Ward, I M see Davy, K W M, 17
Weaver, D R and Pitt, W G, Sticking coefficients of adsorbing proteins, 577
Weber, H see Semlitsch, M F, 781
Wenhua, T see Tingfei, X, 357
Wheatley, D J see Bernacca, G M, 345
Wildevuur, Ch R H see Hinrichs, W L J, 585
Williams, D F see Mohanty, M, 651
Williams, D F see Remes, A, 731
Williams, E C see Silver, J H, 339
Williams, J A see Billington, R W, 543
Williams, P see Norman, M E, 841
Wilson, T W see Kalachandra, S, 105

Wolters, G see Zondervan, G J, 136
Woodhouse, K A and Brash, J L, Adsorption of plasminogen from plasma to lysine-derivatized polyurethane surfaces, 1103

Xuehui, L see Tingfei, X, 357

Yamada, M see Kamei, S, 953
Yamagishi, T see Kawakami, T, 759
Yamamuro, T see Kitsugi, T, 394
Yamasaki, H and Sakai, H, Osteogenic response to porous hydroxyapatite ceramics under the skin of dogs, 308
Yasin, M and Tighe, B J, Polymers for biodegradable medical devices. VIII. Hydroxybutyrate–hydroxyvalerate copolymers: physical and degradative properties of blends with polycaprolactone, 9
Yonekawa, Y see Iwata, H, 891
Yoshii, S see Kitsugi, T, 394
Yoshioka, Kazuo see Matsuda, Kazuya, 119

Zane, D see marconi, W, 432
Zondervan, G J, Hoppen, H J, Penning, A J, Fritschy, W, Wolters, G and van Schilfgaarde, R, Design of a polyurethane membrane for the encapsulation of islets of Langerhans, 136
can der Mei, H C see van Kooten, T G, 897
de Groot, J H see Klompmaker, J, 625
de Groot, K see Vrouwenvelder, W C A, 383
de Groot, K see Sliedregt, A, 819
de Groot, K see Jansen, J A, 959
de Ridder, L see Beele, H, 1031
van Aken, W G see Bruil, A, 915
van Blitterswijk, C A see van Sliedregt, A, 819
van Kooten, T G, Schadenraad, J M, can der Mei, H C and Busscher, H J, Influence of substratum wettability on the strength of adhesion of human fibroblasts, 897
van Luyn, M J A, van Wachem, P B, Jonkman, M F and Nieuwenhuis, P, Cytotoxicity testing of wound dressings using methylcellulose cell culture, 267
van Luyn, M J A, van Wachem, P B, Olde Damink, L H H, Dijkstra, P J, Feijen, J and Nieuwenhuis, P, Secondary cytotoxicity of cross-linked dermal sheep collagens during repeated exposure to human fibroblasts, 1017
van Schilfgaarde, R see Zondervan, G J, 136
van Sliedregt, A, Knook, M, Hesseling, S C, Koerten, H K, de Groot, K and van Blitterswijk, C A, Cellular reaction on the intraperitoneal injection of four types of polylactide particulates, 819
van Wachem, P B see van Luyn, M J A, 267
van Wachem, P B see van Luyn, M J A, 1017
van der Waerden, J P C M see Jansen, J A, 959
Van't Veen, S J G A see Lin, H, 825
von Fraunhofer, J A and Sichina, W J, Characterization of surgical suture materials using dynamic mechanical analysis, 715
von Recum, A F see Schmidt, J A, 675
von Recum, A F see Jansen J A, 959
von Recum, A F see Schmidt, J A, 1059

Subject Index

acrylic resins
dental materials, glycidyl methacrylate, tetrahydrofurfuryl methacrylate, 937
activation energy
Arrhenius equation, transition temperatures, 191
adhesion
polyethylene oxide, polyethylene terephthalate, surface treatment, 505
drug delivery, tablet, mucosa, 709
adhesive bond strength
polyalkenoate cements, 931
adsorption
complement activation, blood compatibility, blood-polymer interactions, 571
titanium, surface chemistry, 553
glycosaminoglycans, titanium, calcium, 548
plasminogen, 1103
albumin
polyactide, nanoparticles, biodistribution, whole-body autoradiography, 1093
alginate
microcapsules, polyethylene oxide, poly(L-lysine), graft copolymer, 863
alkali hydrolysis
biodegradable polyesters, 953
alloys
dental materials, zinc, cytotoxicity, 20
dental materials, cell culture, 98
allylamine
platelet, fibrinogen, plasma, 322
alumina
osteoblasts, hydroxyapatite, bone, 123
zirconia, stainless steel, biocompatibility, 195
titanium, interface, fracture toughness, 455
bone, prostheses, mineralization, 664
hydroxyapatite, reinforcement, microstructure, 744
antibacterial activity
hydrogels, polyphosphazenes, mutagenicity, 857
antibiotics
wound dressings, drug delivery, 119
antibodies
phosphorylated polystyrenes, DNA, 59
collagen, dental surgery, 693
apatite
glass–ceramics, wollastonite, 394
Arrhenius equation
activation energy, transition temperatures, 191
articular repair
cartilage, 625
artificial connective matrix
elastin, collagen, 28
thrombogenicity, endothelium, 439
artificial matrix
collagen, biodegradation, 697
bacteria
titanium, dental materials, 25
bacterial adhesion
polyethylenes, surface treatment, 417
surfactants, surface modification, 411
balloon catheters
endovascular surgery, p(HEMA), glucose oxidase, solidifying liquid, 891
beta-blockers
drug delivery, sustained release, 764
bioactive glass
osteoblasts, cell culture, 383
glass–ceramics, microstructure, 317
bioadhesives
protein adsorption, surface properties, mussel adhesive protein, 1000
biocompatability
polyoxyethylene, toxicity, embryonic chicken skin, 1031
biocompatibility
alumina, zirconia, stainless steel, 195
bone cement, pmma, toxicity, tissue culture, 811
cyanocrylate, bioresorption, 1077
immune response, review, 731
biodegradable polyesters
alkali hydrolysis, 953
biodegradation
collagen, mechanical properties, 448
polyurethanes, material properties, 240
hydrogels, drug delivery, gastric retention, 289
poly(lactic acid), poly(glycolic acid), 594
gel casting, polylactides, 297
gel casting, polylactides, 217
polyphosphazenes, hydrolysis, 511
polyphosphazenes, hydrolysis, 601
collagen, artificial matrix, 697
hydroxyapattie, titanium, dental materials, 825
biodistribution
polyactide, albumin, nanoparticles, whole-body autoradiography, 1093
bioresorption
cyanocrylate, biocompatibility, 1077
biosensors
membranes, permeability, immobilization, 971
blood compatibility
phospholipid polymer, grafting, cellulose membrane, haemodialysis, 235
complement activation, adsorption, blood-polymer interactions, 571
blood-material interactions
coagulation proteins, platelets, 3
membranes, cellulose, 145
vascular prostheses, polyurethanes, cell culture, 281
polyurethanes, sulphonates, 339
protein adsorption, hydrophobicity, 367
blood-polymer interactions
complement activation, adsorption, blood compatibility, 571
thrombogenicity, styrene polymers, 1025
blood-surface interactions
platelets, coagulation, complement, 527
bone
electromagnetic properties, 168
osteoblasts, hydroxyapatite, alumina, 123
hydroxyapatite, interface, 162
titanium, calcification, 255
review, cartilage, joints, tribology, 67
alumina, prostheses, mineralization, 664
oral mucocsa, mechanical properties, 1039
bone cement
PMMA, toxicity, biocompatibility, tissue culture, 811
osteoblasts, glass-ionomer cement, bone-implant interface, 721
bone cements
fracture toughness, 225
bone growth
titanium, calcium phosphate coatings, 617
bone ingrowth
p(HEMA), collagen composite implant, 639
titanium implant, micromotion, tissue formation, 944
bone substitute
osteoconduction, chitosan, hydroxyapatite, 759
bone-bonding
composites, polyhydroxybutyrate, 491
bone-implant interface
bone cement, osteoblasts, glass-ionomer cement, 721
calcification
titanium, bone, 255
heart valve prostheses, mechanical properties, surface modification, 353
pericardium, heart valve prostheses, glutaraldehyde fixation, 345
calcium
glycosaminoglycans, titanium, adsorption, 548
calcium alginate
DMAEMA-MMA copolymers, 1109
calcium hydroxide
dental materials, cements, salicylate, dissolution, 771
calcium phosphate coatings
titanium, bone growth, 617
calcium phosphates
plasma spray, crystal structure, 313
coatings, material properties, 249
imaging, host response, 478
carbon fibres
joint resurfacing, knee, 1070
carbon particles
macrophages, phagocytosis, 646
carboxylated polyurethane

graft copolymer, rgd-peptide, endothelial cell, cell adhesion, 905
carboxylic acid
leucocyte adhesion, polyurethane, poly(ethyleneimine), surface change, 915
cartilage
review, bone, joints, tribology, 67
articular repair, 625
cell adhesion
protein adsorption, surface activation, 201
cell growth, immobilization, poly(methyl methacrylate), fibroblasts, 789
carboxylated polyurethane, graft copolymer, rgd-peptide, endothelial cell, 905
cell culture
dental materials, alloys, 98
vascular prostheses, polyurethanes, blood-material interactions, 281
bioactive glass, osteoblasts, 383
cell growth
insulin, fibroblasts, 50
cell adhesion, immobilization, poly(methyl methacrylate) fibroblasts, 789
poly (N,N-disubstituted) acrylamide, swelling, platelet adhesion, 1051
cell metabolism
microtextured, silicone, macrophages, 1059
cell morphometry
profilometry, 483
cell-material interface
osteoblasts, ultrastructure, 400
cell-polymer interactions
vascular prostheses, polyurethanes, 209
cell-seeding
vascular prostheses, endothelium, 657
cell-surface interactions
microscopy, fluorescence, 871
cellulose,
membranes, complement activation, 113
membranes, blood-materials interactions, 145
cellulose membrane
phospholipid polymer, grafting, haemo-dialysis, blood compatibility, 235
cements
dental materials, calcium hydroxide, salicylate, dissolution, 771
ceramics
dental materials, composites, fracture toughness, 101
chemotherapy
drug delivery, microspheres, poly(lactic acid), 230
chitosan
Mo(VI) polyoxyanions, gelling, 635
osteoconduction, hydroxyapattie, bone substitute, 759
chitosan beads
chitosan microgranules, drug delivery, nifedipine, oral sustained release, 949
chitosan microgranules
chitosan beads, drug delivery, nifedipine, oral sustained release, 949
coagulation
platelets, complement, blood-surface interactions, 527
coagulation proteins
blood-material interactions, platelets, 3
coatings
calcium phosphates, material properties, 249
collagen
glutaraldehyde fixation, microwave irradiation, 34
biodegradation, mechanical properties, 448
elastin, artificial connective matrix, 28
cross-linking, wettability, fibroblasts, 612
dental surgery, antibodies, 693
artificial matrix, biodegradation, 697
cross-linking, fibroblasts, cytotoxicity, 1017
injection, flow properties, 878
collagen composite implant
p(HEMA), bone ingrowth, 639
colour centres
hydroxyapatite, plasma-spraying, 755
complement
platelets, coagulation, blood-surface interactions, 527
complement activation
membranes, cellulose, 113
adsorption, blood compatibility, blood-polymer interactions, 571
complement proteins
hydrophobicity gradient surfaces, 497
composites
vascular prostheses, mechanical properties, 38
copolymers, mechanical properties, 17
dental materials, ceramics, fracture toughness, 101
polyhydroxybutyrate, bone-bonding, 491
controlled release
lipid microcylinders, T-cell response, 1085
copolymers
composites, mechanical properties, 17
protein adsorption, fibrinogen, platelet adhesion, steric repulsion, 682
cross-linking
collagen, wettability, fibroblasts, 612
immobilization, enzymes, gelatin, 704
collagen, fibroblasts, cytotoxicity,1017
crystal structure
calcium phosphates, plasma spray, 313
cyanoacrylate
superoxide anion, free radicals, glutathione, 403
biocompatibility, bioresorption, 1077
cytotoxicity
dental materials, alloys, zinc, 20
wound dressings, methylcellulose, 267
collagen, cross-linking, fibroblasts, 1017
degradation
vascular prostheses, polyurethane, 585
dental implants
titanium, surface cleanliness, 775
dental materials
titanium, bacteria, 25
water sorption, mechanical properties, 105
alloys, zinc, cytotoxicity, 20
ceramics, composites, fracture toughness, 101
alloys, cell culture, 98
glass ionomer cements, erosion, 543
silicones, dimensional change, 333
erosion processes, zinc phosphate cement, 467
PMMA copolymers, mechanical properties, 726
hydroxyapatite, titanium, biodegradation, 825
cements, calcium hydroxide, salicylate, dissolution, 771
glassy polymers, thermal expansion, 1043
acrylic resins, glycidyl methacrylate, tetrahydrofurfuryl methacrylate, 937
dental surgery
collagen, antibodies, 693
detachment
fibroblasts, wettability, shear stress, parallel-plate flow chamber, 897
diffusion
protein adsorption, stocking coefficients, 577
dimensional change
dental materials, silicones, 333
dissolution
dental materials, cements, calcium hydroxide, salicylate, 771
dmaema-mma copolymers
calcium alginate, 1109
DNA
phosphorylated polystyrenes, antibodies, 59
drug delivery
wound dressings, antibiotics, 119
chemotherapy, microspheres, poly(lactic acid), 230
hydrogels, biodegradation, gastric retention, 289
tablet, adhesion, mucosa, 709
sustained release, beta-blockers, 764
hydrophobic polymers, ethylene-vinyl acetate copolymer, 850
chitosan beads, chitosan microgranules, nifedipine, oral sustained release, 949
dual energy X-ray absorptiometry
hydroxyapatite, implants, mineral content, 462
elastin
collagen, artificial connective matrix, 28
electromagnetic properties
bone, 168
emboli
hydrogels, p(HEMA), 361
embolization
hydrogels, p(HEMA), haemostasis, 521
embryonic chicken skin
polyoxyethylene, toxicity, biocompatability, 1031
encapsulation
insulin, membranes, 136
membranes, permeability, 44
endothelial cell
carboxylated polyurethane, graft copolymer, rgd-peptide, cell adhesion, 905
endothelium
artificial connective matrix, thrombogenicity, 439
vascular prostheses, cell-seeding, 657
endovascular surgery
balloon catheters, p(HEMA), glucose oxidase, solidifying liquid, 891
enzymes
immobilization, gelatin, 156
immobilization, irradiation, 150
silk fibroin, immobilization, plasma treatment, ESCA, 276
immobilization, gelatin, cross-linking, 704
immobilization, urease, gelatin, 795
erosion
dental materials, glass ionomer cements, 543
erosion processes
dental materials, zinc phosphate cement, 467
ESCA
silk fibroin, enzymes, immobilization, plasma treatment, 276
surface characterization, radiofrequency plasma, 801
ethylene-vinyl acetate copolymer
drug delivery, hydrophobic polymers, 850
fecralloy
soft tissue, titanium, stainless steel, fibre-web material, 959
fibre optic sensors
membranes, hydrogels, 991
fibre-web material
soft tissue, titanium, stainless steel, fecralloy, 959
fibrinogen
platelet, plasma, allylamine, 322
copolymers, protein adsorption, platelet adhesion, steric repulsion, 682
fibroblasts
cell growth, insulin, 50
collagen, cross-linking, wettability, 612
cell growth, cell adhesion, immobilization, poly(methyl methacrylate), 789
collagen, cross-linking, cytotoxicity, 1017
detachment, wettability, shear stress, parallel-plate flow chamber, 897
fibronectin
RGD-albumin, wound healing, tissue ingrowth, 924
flame spraying
hydroxyapatite, surface coatings, 471
flow properties
collagen, injection, 878
fluorescence
microscopy, cell-surface interactions, 871
fluorides
hydroxyapatite, synthesis, 749
fracture toughness
dental materials, ceramics, composites, 101
titanium, alumina, interface,455
bone cements, 225
free radicals
cyanoacrylate, superoxide anion, glutathione, 403
gastric retention
hydrogels, drug delivery, biodegradation, 289
gel casting
biodegradation, polylactides, 297
biodegradation, polylactides, 217
gelatin
immobilization, enzymes, 156
immobilization, enzymes, cross-linking, 704
immobilization, enzymes, urease, 795
gelling
chitosan, Mo(VI) polyoxyanions, 635

glass inomer cements
dental materials, erosion, 543
glass-ceramics
bioactive glass, microstructure, 317
apatite, wollastonite, 394
glass-ionomer cement
bone cement, osteoblasts, bone-implant interface, 721
glasses
toxicity, silicon, 172
glassy polymers
dental materials, thermal expansion, 1043
glucose oxidase
endovascular surgery, balloon catheters, p(HEMA), solidifying liquid, 891
glutaraldehyde fixation
microwave irradiation, collagen, 34
calcification, pericardium, heart valve prostheses, 345
glutathione
cyanoacrylate, superoxide anion, free radicals, 403
glycidyl methacrylate
dental materials, acrylic resins, tetrahydrofurfuryl methacrylate, 937
glycosaminoglycans
titanium, adsorption, calcium, 548
goniophotometry
hydroxybutyrate–hydroxyvalerate copolymer, polycaprolactone blends, hydrolytic degradation, 9
graft copolymer
microcapsules, polyethylene oxide, poly(L-lysine) alginate, 863
carboxylated polyurethane, RGD-peptide, endothelial cell, cell adhesion, 905
grafting
phospholipid polymer, cellulose membrane, haemodialysis, blood compatibility, 235
haemocompatibility
polyurethanes, phospholipids, 357
haemodialysis
phospholipid polymer, grafting, cellulose membrane, blood compatibility, 235
haemostasis
hydrogels, p(HEMA), embolization, 521
heart valve prostheses
calcification, mechanical properties, surface modification, 353
calcification, pericardium, glutaraldehyde fixation, 345
heparin
hydrogels, poly(vinyl alcohol), poly(ethylene glycol), thrombogenicity, 421
poly(ether urethane amide)s, poly(amido-amine)s, polymer-grafting, 425
heparinization
polyurethanes, 432
histological response
polyurethane, 537
histopathology
polypeptides, progesterone, 1009
host response
titanium, stainless steel, implants, 562
calcium phosphates, imaging, 478
hydrogels
drug delivery, biodegradation, gastric retention, 289
p(HEMA), emboli, 361
heparin, poly(vinyl alcohol), poly(ethylene glycol), thrombogenicity, 421
p(HEMA), haemostasis, embolization, 521
polyphosphazenes, antibacterial activity, mutagenicity, 857
membranes, ion-selective transport, 979
membranes, fibre optic sensors, 991
hydrolysis
polyphosphazenes, biodegradation, 511
polyphosphazenes, biodegradation, 601
hydrolytic degradation
hydroxybutyrate–hydroxyvalerate copolymer, polycaprolactone blends, goniophotometry, 9
hydrophobic polymers
drug delivery, ethylene-vinyl acetate copolymer, 850
hydrophobicity
blood-material interactions, protein adsorption, 367
hydrophobicity gradient surfaces
complement proteins, 497
hydroxyapatite
osteoblasts, bone, alumina, 123
microstructure, osteogenesis, tissue reaction, 308
bone, interface, 162
immobilization, surface coating, 668
implants, mineral content, dual energy X-ray absorptiometry, 462
surface coatings, flame spraying, 471
alumina, reinforcement, microstructure, 744
plasma-spraying, colour centres, 755
titanium, dental materials, biodegradation, 825
osteoconduction, chitosan, bone substitute, 759
fluorides, synthesis, 749
hydroxybutyrate–hydroxyvalerate copolymer
polycaprolactone blends, hydrolytic degradation, goniophotometry, 9
imaging
calcium phosphates, host response, 478
immobilization
enzymes, gelatin, 156
enzymes, irradiation, 150
silk fibroin, enzymes, plasma treatment, esca, 276
hydroxyapatite, surface coating, 668
thrombogenicity, polyurethanes, membranes, 376
enzymes, gelatin, cross-linking, 704
cell growth, cell adhesion, poly(methyl methacrylate) fibroblasts, 789
enzymes, urease, gelatin, 795
membranes, biosensors, permeability, 971
immune response
biocompatibility, review, 731
implants
hydroxyapatite, mineral content, dual energy X-ray absorptiometry, 462
polypropylene, polytetrafluoroethylene, tissue response, 261
titanium, stainless steel, host response, 562
inflammation
polylactide, tissue response, 819
injection
collagen, flow properties, 878
insulin
encapsulation, membranes, 136
cell growth, fibroblasts, 50
interface
hydroxyapatite, bone, 162
titanium, alumina, fracture toughness, 455
ion-selective transport
membranes, hydrogels, 979
irradiation
immobilization, enzymes, 150
joint prostheses
titanium, wear, toxicity, 781
joint resurfacing
carbon fibres, knee, 1070
joints
review, cartilage, bone, tribology, 67
knee
carbon fibres, joint resurfacing, 1070
leucocyte adhesion
polyurethane, poly(ethyleneimine), carboxylic acid, surface change, 915
lipid microcylinders
T-cell responce, controlled release, 1085
macrophages,
microtextured, silicone, cell metabolism, 1059
carbon particles, phagocytosis, 646
material properties
polyurethanes, biodegradation, 240
calcium phosphates, coatings, 249
mechanical properties
biodegradation, collagen, 448
dental materials, water sorption, 105
vascular prostheses, composites, 38
poly(lactic acid), vascular stents, 176
copolymers, composites, 17
calcification, heart valve prostheses, surface modification, 353
dental materials, pmma copolymers, 726
poly(L-lactide) 1012
oral mucocsa, bone, 1039
membranes
cellulose, complement activation, 113
encapsulation, insulin, 136
permeability, encapsulation, 44
blood-material interactions, cellulose, 145
thrombogenicity, polyurethanes, immobilization, 376
biosensors, permeability, immobilization, 971
hydrogels, ion-selective transport, 979
hydrogels, fibre optic sensors, 991
methacrylates,
dental materials, polymerization, 643
methylcellulose
cytotoxicity, wound dressing, 267
microcapsules
polyethylene oxide, poly(l-lysine), graft copolymer, alginate, 863
micromotion
bone ingrowth, titanium implant, tissue formation, 944
microscopy
cell-surface interactions, fluorescence, 871
microspheres
drug delivery, chemotherapy, poly(lactic acid), 230
protein adsorption, polystyrene, poly(ethylene oxide), 841
microstructure
hydroxyapatite, osteogenesis, tissue reaction, 308
glass-ceramics, bioactive glass, 317
hydroxyapatite, alumina, reinforcement, 744
microtextured
silicone, cell metabolism, macrophages, 1059
microtextured silicone
profilometry, 675
microwave irradiation
glutaraldehyde fixation, collagen, 34
mineral content
hydroxyapatite, implants, dual energy X-ray absorptiometry, 462
mineralization
alumina, bone, prostheses, 664
Mo(VI) polyoxyanions
chitosan, gelling, 635
mucosa
drug delivery, tablet, adhesion, 709
mussel adhesive protein
bioadhesives, protein adsorption, surface properties, 1000
mutagenicity
hydrogels, polyphosphazenes, antibacterial activity, 857
nanoparticles
polyactide, albumin, biodistribution, whole-body autoradiography, 1093
nerve regeneration
synthetic nerve guides, surface characterization, piezielectric polymers, 183
nifedipine
chitosan beads, chitosan microgranules, drug delivery, oral sustained release, 949
oral mucocsa
bone, mechanical properties, 1039
oral sustained release
chitosan beads, chitosan microgranules, drug delivery, nifedipine, 949
osteoblasts,
hydroxyapatite, bone, alumina, 123
bioactive glass, cell culture, 383
cell-material interface, ultrastructure, 400
bone cement, glass-ionomer cement, bone-implant interface, 721
osteoconduction
chitosan, hydroxyapatite, bone substitute, 759
osteogenesis
hydroxyapattie, microstructure, tissue reaction, 308
p(HEMA)
hydrogels, emboli, 361
hydrogels, haemostasis, embolization, 521
collagen composite implant, bone ingrowth, 639
p(HEMA)
endovascular surgery, balloon catheters, glucose oxidase, solidifying liquid, 891

parallel-plate flow chamber
detachment, fibroblasts, wettability, shear stress, 897
pericardium
calcification, heart valve prostheses, glutaraldehyde fixation, 345
permeability
membranes, encapsulation, 44
membranes, biosensors, immobilization, 971
phagocytosis
carbon particles, macrophages, 646
phospholipid polymer
grafting, cellulose membrane, haemodialysis, blood compatibility, 235
phospholipids
haemocompatibility, polyurethanes, 357
phosphorylated polystyrenes
antibodies, DNA, 59
piezielectric polymers
nerve regeneration, synthetic nerve guides, surface characterization, 183
plasma
platelet, fibrinogen, allylamine, 322
plasma coating
surface treatment, surface characterization, 832
plasma spray
calcium phosphates, crystal structure, 313
plasma treatment
silk fibroin, enzymes, immobilization, ESCA, 276
plasma-spraying
hydroxyapatite, colour centres, 755
plasminogen
adsorption, 1103
platelet
fibrinogen, plasma, allylamine, 322
platelet adhesion
copolymers, protein adsorption, fibrinogen, steric repulsion, 682
poly (N,N-disubstituted) acrylamide, swelling, cell growth, 1051
platelets
thrombogenicity, polyurethanes, 131
blood-material interactions, coagulation proteins, 3
coagulation, complement, blood-surface interactions, 527
PMMA
bone cement, toxicity, biocompatibility, tissue culture, 811
PMMA copolymers
dental materials, mechanical properties, 726
poly (N,N-disubstituted) acrylamide swelling, platelet adhesion, cell growth, 1051
poly(amidoamine)s
poly(ether urethane amide)s, polymer-grafting, heparin, 425
poly(methyl methacrylate)
cell growth, cell adhesion, immobilization, fibroblasts, 789
poly(ether urethane amide)s
poly(amidoamine)s, polymer-grafting, heparin, 425
poly(ethylene glycol)
hydrogels, heparin, poly(vinyl alcohol), thrombogenicity, 421
poly(ethylene oxide)
protein adsorption, microspheres, polystyrene, 841
poly(ethyleneimine)
leucocyte adhesion, polyurethane, carboxylic acid, surface change, 915
poly(glycolic acid)
biodegradation, poly(lactic acid), 594
poly(L-lactide)
mechanical properties, 1012
poly(L-lysine)
microcapsules, polyethylene oxide, graft copolymer, alginate, 863
poly(lactic acid)
drug delivery, chemotherapy, microspheres, 230
mechanical properties, vascular stents, 176
biodegradation, poly(glycolic acid), 594
poly(urethane urea)
vascular prostheses, tissue response, 651
poly(vinyl alcohol)
hydrogels, heparin, poly(ethylene glycol), thrombogenicity, 421
polyactide
albumin, nanoparticles, biodistribution, whole-body autoradiography, 1093
polyalkenoate cements
adhesive bond strength, 931
polycaprolactone blends
hydroxybutyrate-hydroxyvalerate copolymer, hydrolytic degradation, goniophotometry, 9
polyethylene oxide
polyethylene terephthalate, surface treatment, adhesion, 505
microcapsules, poly(L-lysine), graft copolymer, alginate, 863
polyethylene terephthalate
polyethylene oxide, surface treatment, adhesion, 505
polyethylenes
surface treatment, bacterial adhesion, 417
polyhydroxybutyrate
composites, bone-bonding, 491
polylactide
inflammation, tissue response, 819
polylactides
gel casting, biodegradation, 297
gel casting, biodegradation, 217
polymer-grafting
poly(ether urethane amide)s, poly(amidoamine)s, heparin, 425
polymerization
methacrylates, dental materials, 643
polyoxyethylene
toxicity, biocompatability, embryonic chicken skin, 1031
polypeptides
progesterone, histopathology, 1009
polyphosphazenes
biodegradation, hydrolysis, 511
biodegradation, hydrolysis, 601
hydrogels, antibacterial activity, mutagenicity, 857
polypropylene
polytetrafluroethylene, implants, tissue response, 261
polystyrene
protein adsorption, microspheres, poly(ethylene oxide), 841
polytetrafluoroethylene
polypropylene, implants, tissue response, 261
polyurethane
vascular prostheses, degradation, 585
histological response, 537
leucocyte adhesion, poly(ethyleneimine), carboxylic acid, surface change, 915
polyurethanes
thrombogenicity, platelets, 131
thrombogenicity, ultrasound, 110
vascular prostheses, cell-polymer interactions, 209
material properties, biodegradation, 240
vascular prostheses, blood-material interactions, cell culture, 281
blood-material interactions, sulphonates, 339
haemocompatibility, phospholipids, 357
heparinization, 432
thrombogenicity, membranes, immobilization, 376
profilometry
cell morphometry, 483
microtextured silicone, 675
progesterone
polypeptides, histopathology, 1009
prostheses
alumina, bone, mineralization, 664
protein adsorption
cell adhesion, surface activation, 201
blood-material interactions, hydrophobicity, 367
copolymers, fibrinogen, platelet adhesion, steric repulsion, 682
diffusion, stocking coefficients, 577
microspheres, polystyrene, poly(ethylene oxide), 841
bioadhesives, surface properties, mussel adhesive protein, 1000
radiofrequency plasma
ESCA, surface characterization, 801
reinforcement
hydroxyapatite, alumina, microstructure, 744
review
cartilage, bone, joints, tribology, 67
biocompatibility, immune response, 731
RGD-albumin
fibronectin, wound healing, tissue ingrowth, 924
RGD-peptide
carboxylated polyurethane, graft copolymer, endothelial cell, cell adhesion, 905
salicylate
dental materials, cements, calcium hydroxide, dissolution, 771
shear stress
detachment, fibroblasts, wettability, parallel-plate flow chamber, 897
silicon
glasses, toxicity, 172
silicone
microtextured, cell matabolism, macrophages, 1059
silicones
dental materials, dimensional change, 333
silk fibroin
enzymes, immobilization, plasma treatment, ESCA, 276
soft tissue
titanium, stainless steel, fecralloy, fibre-web material, 959
solidifying liquid
endovascular surgery, balloon catheters, p(HEMA), glucose oxidase, 891
stainless steel
alumina, zirconia, biocompatibility, 195
titanium, implants, host response, 562
soft tissue, titanium, fecralloy, fibre-web material, 959
steric repulsion
copolymers, protein adsorption, fibrinogen, platelet adhesion, 682
stocking coefficients
protein adsorption, diffusion, 577
stress relaxation
viscoelasticity, sutures, 715
styrene polymers
thrombogenicity, blood-polymer interactions, 1025
sulphonates
blood-material interactions, polyurethanes, 339
superoxide anion
cyanoacrylate, free radicals, glutathione, 403
surface activation
cell adhesion, protein adsorption, 201
surface change
leucocyte adhesion, polyurethane, poly(ethyleneimine), carboxylic acid, 915
surface characterization
nerve regeneration, synthetic nerve guides, piezielectric polymers, 183
plasma coating, surface treatment, 832
ESCA, radiofrequency plasma, 801
surface chemistry
titanium, adsorption, 553
surface cleanliness
dental implants, titanium, 775
surface coating
hydroxyapatite, immobilization, 668
surface coatings
hydroxyapatite, flame spraying, 471
surface modification
calcification, heart valve prostheses, mechanical properties, 353
bacterial adhesion, surfactants, 411
surface properties
bioadhesives, protein adsorption, mussel adhesive protein, 1000
surface treatment
polyethylene oxide, polyethylene terephthalate, adhesion, 505
polyethylenes, bacterial adhesion, 417
plasma coating, surface characterization, 411 832
surfactants
bacterial adhesion, surface modification,
sustained release
drug delivery, beta-blockers, 764

sutures
viscoelasticity, stress relaxation, 715
swelling
poly (N,N-disubstituted) acrylamide, platelet adhesion, cell growth, 1051
synthesis
hydroxyapatite, fluorides, 749
synthetic nerve guides
nerve regeneration, surface characterization, piezielectric polymers, 183
T-cell response
lipid microcylinders, controlled release, 1085
tablet
drug delivery, adhesion, mucosa, 709
tetrahydrofurfuryl methacrylate
dental materials, acrylic resins, glycidyl methacrylate, 937
thermal expansion
dental materials, glassy polymers, 1043
thrombogenicity
polyurethanes, platelets, 131
polyurethanes, ultrasound, 110
artificial connective matrix, endothelium, 439
hydrogels, heparin, poly(vinyl alcohol), poly(ethylene glycol), 421
polyurethanes, membranes, immobilization, 376
blood-polymer interactions, styrene polymers, 1025
tissue culture
bone cement, pmma, toxicity, biocompatibility, 811
tissue formation
bone ingrowth, titanium implant, micromotion, 944
tissue ingrowth
RGD-albumin, fibronectin, wound healing, 924
tissue reaction
hydroxyapatite, microstructure, osteogenesis, 308
tissue response
polypropylene, polytetrafluoroethylene, implants, 261
vascular prostheses, poly(urethane urea), 651
inflammation, polylactide, 819
titanium
bacteria, dental materials, 25
joint prostheses, wear, toxicity, 781
alumina, interface, fracture toughness, 455
bone, calcification, 255
stainless steel, implants, host response, 562
calcium phosphate coatings, bone growth, 617
surface chemistry, adsorption, 553
glycosaminoglycans, adsorption, calcium, 548
dental implants, surface cleanliness, 775
hydroxyapatite, dental materials, biodegradation, 825
soft tissue, stainless steel, fecralloy, fibre-web material, 959
titanium implant
bone ingrowth, micromotion, tissue formation, 944
toxicity
glasses, silicon, 172
joint prostheses, titanium, wear, 781
bone cement, pmma, biocompatibility, tissue culture, 811
polyoxyethylene biocompatibility, embryonic chicken skin, 1031
transition temperatures
Arrhenius equation, activation energy, 191
tribology
review, cartilage, bone, joints, 67
ultrasound
polyurethanes, thrombogenicity, 110
ultrastructure
cell-material interface, osteoblasts, 400
urease
immobilization, enzymes, gelatin, 795
vascular prostheses
composites, mechanical properties, 38
polyurethanes, cell-polymer interactions, 209
polyurethanes, blood-material interactions, cell culture, 281
polyurethane, degradation, 585
poly(urethane urea), tissue response, 651
endothelium, cell-seeding, 657
vascular stents
poly(lactic acid), mechanical properties, 176
viscoelasticity
stress relaxation, sutures, 715
water sorption
dental materials, mechanical properties, 105
wear
joint prostheses, titanium, toxicity, 781
wettability
collagen, cross-linking, fibroblasts, 612
detachment, fibroblasts, shear stress, parallel-plate flowchamber, 897
whole-body autoradiography
polyactide, albumin, nanoparticles, biodistribution, 1093
wollastonite
glass–ceramic, apatite, 394
wound dressings
antibiotics, drug delivery, 119
cytotoxicity, methylcellulose, 267
wound healing
RGD-albumin, fibronectin, tissue ingrowth, 924
zinc
dental materials, alloys, cytotoxicity, 20
zinc phosphate cement
dental materials, erosion processes, 467
zirconia
alumina, stainless steel, biocompatibility, 195